



**MINISTRY OF DEFENSE  
BRAZILIAN NAVY  
BRAZILIAN NAVAL COMMISSION IN WASHINGTON**

**BID PROCESS N° 09/2023**

**PRICE PROPOSAL**

Company name: \_\_\_\_\_ Date: \_\_\_\_\_

Company Representative Name: \_\_\_\_\_

Proposal Expiration Date: \_\_\_\_\_

Signature: \_\_\_\_\_

ITEM	SPECIFICATION	SIZE	REFERENCE	UNIT OF SUPPLY	QUANTITY	PRICE IN USD
1	Marine aluminum plate according to ASTM B209 5083 H116.	Supply: Plate; Width: 2000mm; Length: 3000mm; Thickness: 2mm.	608565 / 7606.12.90	UN	8	
2	Marine aluminum plate according to ASTM B209 5083 H116.	Supply: Plate; Width: 2000mm; Length: 3000mm; Thickness: 3,17mm.	608566/7606.12.90	UN	80	
3	Marine Aluminum Checker (Tread) Plate according to ASTM B209 5754 H114.	Supply: Plate; Width: 2000mm; Length: 3000mm; Thickness 3,17mm.	608608/7606.12.90	UN	52	
4	Marine aluminum plate according to ASTM B209 5083 H116.	Supply: Plate; Width: 2000mm; Length: 3000mm; Thickness 4,75mm.	608567/7606.12.90	UN	40	
5	Marine aluminum plate according to ASTM B209 5083 H116.	Supply: Plate; Width: 2000mm; Length: 3000mm; Thickness 6,35mm.	608568/7606.12.90	UN	90	
6	Marine aluminum plate according to ASTM B209 5083 H116.	Supply: Plate; Width: 2000mm; Length: 3000mm; Thickness: 7,93mm.	608569/7606.12.90	UN	8	

## ANNEX C

7	Marine aluminum plate according to ASTM B209 5083 H116.	Supply: Plate; Width: 2000mm; Length: 3000mm; Thickness: 9,52mm.	608570/7606.12.90	UN	24	
8	Marine aluminum plate according to ASTM B209 5083 H116.	Supply: Plate; Width: 2000mm; Length: 3000mm; Thickness 12,7mm.	608571/7606.12.90	UN	8	
9	Marine aluminum plate according to ASTM B209 5083 H116.	Supply: Plate; Width: 2000mm; Length: 3000mm; Thickness: 38,1mm.	608572/7606.12.90	UN	1	
10	Marine aluminum plate according to ASTM B209 5083 H116.	Supply: Plate; Width: 2000mm; Length: 3000mm; Thickness: 50,8mm.	608573/7606.12.90	UN	2	
11	Aluminum cold rolled (drawn) angle bar according to ASTM B221 6082 T6	Supply: L angle bar; Equal legs: 50,8mm; Thickness: 4,75mm; Length: 6m.	608585/7604.29.20	UN	12	
12	Aluminum drawn angle bar according to ASTM B221 6082 T6	Supply: L angle bar; Unequal legs: 76,2 X 50,8mm; Thickness: 4,75mm; Length: 6m.	608587/7604.29.20	UN	8	
13	Aluminum cold rolled (drawn) angle bar according to ASTM B221 6082 T6	Supply: L angle bar; Unequal legs: 76,2 X 50,8mm; Thickness: 4,75mm; Length: 6m.	608589/7604.29.20	UN	4	
14	Aluminum cold rolled (drawn) bar according to ASTM B221 6082 T6	Supply: Seamless pipe; Diameter: 50,8mm; Thickness: 4,75mm; Length: 6m.	608592/7604.29.20	UN	4	
15	Aluminum cold rolled (drawn) bar according to ASTM B221 6082 T6	Supply: Seamless pipe; Diameter: 70mm; Thickness: 3,17mm; Length: 6m.	608593/7604.29.20	UN	4	
16	Aluminum cold rolled (drawn) bar according to ASTM B221 6082 T6	Supply: Circular straight-section bar; Diameter: 25,4mm; Length: 6m.	608598/7604.29.20	UN	4	
17	Aluminum cold rolled (drawn) bar according to ASTM B221 6082 T6	Supply: L angle bar; Unequal legs: 50,8mm x 38,1mm; Thickness: 4,75mm; Length: 6m.	608588/7604.29.20	UN	4	
18	Aluminum cold rolled (drawn) bar according to ASTM B221 6082 T6	Supply: Seamless pipe; Diameter: 60,33mm; Thickness: 5,54mm; Length: 6m.	608594/7604.29.20	UN	4	

## ANNEX C

19	Aluminum cold rolled (drawn) bar according to ASTM B221 6082 T6	Supply: Seamless pipe; Diameter: 34,92mm; Thickness: 3,17mm; Length: 6m.	608596/7604.29.20	UN	4	
20	Aluminum cold rolled (drawn) bar according to ASTM B221 6082 T6	Supply: L angle bar; Equal legs: 38,1mm; Thickness: 3,17mm; Length: 6m.	608586/7604.29.20	UN	4	

**\* The amount proposed above must include all direct and indirect ordinary expenses resulting from the execution of the object, including administration fees, freight charges, insurance, and any other charge necessary for full compliance with the object of the Contract, following clause 5.2 of the Contract.**